lassified ir					
					.~
		CLASSIFICATION COMMITTEEL SECURITY I			
		· · · · · · · · · · · · · · · · · · ·	REPORT	5074	
		information report	CD NO.	50X1-l	HUM
		50X1-HUM		•	
COUNTR	₹>∙	USSR (Ukreiaton SS.)	DATE DISTR.	7 October	1953
SUBJEC	i.	Rubeshnoya Chemical Combine	NO. OF PAGES	3	
		A 100 miles			
PLACE ACQUIRE	FD		NO. OF ENCLS		
•••	3	* <u>**</u> • •	Mr. Francis, N.		
DATE OF INFO.			SUPPLEMENT	TO	
1141 ().	- 7		REPORT NO		
I. " S AROHIMIT	THE DESTAND THE DE	THIS IS UNEVAL	UATED INFORM	NATION · 	-II IM
Carried St.			rath to the "	50×1-1	TOIVI
	***				
		·		F0V4	1 11 18 4
	1	The Ruberhanski Klift Northingt (Buleshwere Chemical)	Combine) in E	50X1	-HUIVI
		The Rubezhanski Khar Kenbinat (Rubezhnoya Chemical was located on the double-track through the area of the Combine and led northwest and south, via Lisichansk, to Debaltsevo grounds of the Combine bordered on the northwast echiquey leading to Empyansk and paralleling the rathe plant grounds. The Rubezhnoye reliroad station	railroad line soward Kupyans lge of Rubezhr alroad line al	dubczimoye s which passo sk	đ.
		was located on the double-track through the area of the Combine and led northwest and south, via Lisichansk, to Debaltsevo grounds of the Combine bordered on the northwest ed	railroad line soward Kupyans lge of Rubezhr alroad line al	dubczimoye s which passo sk	đ.
,	2.	was located on the double-track through the area of the Combine and led northwest and south, who Lisichansk, to Debaltseve grounds of the Combine bordered on the northwest edighway leading to Kapyansk and paralleling the raithe plant grounds. The Rubezhnoye railroad station	railroad line sound Kunyans lige of Rubezhr liroad line all was near the south part. He the Combine to firms and ended by Americal lations were ed. Reconstraing in 1945.	which passo which passo which passo which passo is traversod combine to west part. a woo Donetskiy was designate sports employ on experts an evacuated du action and	đ -HUM n d ed d
	2.	was located on the double-track through the area of the Combine and led northwest and south, via Lisichansk, to Debaltsevo grounds of the Combine bordered on the northeast echighway leading to Kapyansk and paralleling the raitine plant grounds. The Rubezhnoye railroad station the southeast.  The Combine was divided in half by the railroad lined plant section, was called bonetsky Zavod, the Zavod. A new plant built in the northeast part of No. 14. The plant was founded in 1914, with German in the construction. In 1926, the plant was expensively American machinery. The nost important installing World War II and part of the buildings destroyed expansion of the plant was started in 1944. Begin	railroad line overed Kunyans ige of Rubezhr ulroad line ai a vas near the south part. He the Combine to firms and on led by America llations were ed. Reconstraing in 1945. The plant.  Only a small ments. Disper apparatus exickel) steel. included instand the Agfa	which passo which passo which passo which passo when the laya. The laya. The laya. The laya. The layar from the layar designate the layar designate the layar designate the layar designate the layar of the layar designation which layar	d -HUM  d edd  r-
	2.	was located on the double-track through the area of the Combine and led northwest and south, who Lisichansk, to Debaltsevo grounds of the Combine bordered on the northeast enhighest leading to Kapyansk and paralleling the raiting the plant grounds. The Rubezhnove railroad station the southeast.  The Combine was divided in half by the railroad lined plant section, was called bonetsky Zavod, the Zavod. A new plant brillt in the northeast part of No. 14. The plant was founded in 1914, with German in the construction. In 1926, the plant was expense with American machinery. The most important installing World War if and part of the buildings destroys expansion of the plant was started in 1914. Begin was gradually resumed in the different parts of the Original equipment was used in the restored depart equipment was used in re-equipming the plant. All rosive chemicals were made of German V2A (chrome in Gorman installations used for restoring the plant the Leuna plant the von Heyden plant in Radebedl, Wolfen. Power as generated in part by the plant power plant in Verlaneye  The Combine mainly produces intermediate products ritranised the von Heyden plant the caid may be provened of production of aminosalicylic acid (coal-ter dye intermediate product and an anti-tube for the production of aminosalicylic acid (coal-ter dye intermediate product and an anti-tube)	railroad line ovard Kunyans ige of Rubezhr Ilroad line all vas near the south part. He the Combine to firms and ended by Americal Ilations were add. Reconstraing in 1945. The plant.  Only a small ments. Disner amparatus exickel) steel. included instand the Agfaltsolf and particle included instand included instand included instand included instand included instand included includ	which passo which passo which passo which passo which passo with the passo way. The passo designate control of the production and production for the passon of the passon	a -HUM  a ded  t-HUM  -HUM  -HUM  -HUM
	2.	was located on the double-track through the area of the Combine and led northwest and south, via Lisichansk, to Debaltsevolgrounds of the Combine bordered on the northwest eithighway leading to Kapyansk and paralleling the raiting the glant grounds. The Rubezhnoye railroad station the southeast.  The Combine was divided in half by the railroad lined plant section, was called bonetakly Zavod, the Zavod. A new plant Trill in the northeast part of No. 14. The plant was founded in 1914, with German in the construction. In 1926, the plant was expensively harrican anchinary. The most important instaling World Wax II and part of the buildings destroy expansion of the plant was started in 1944. Beging was gradually resumed in the different parts of the Combine covered in area of about 1 x 1.7 km. foriginal equipment was used in the restored departs equipment was used in re-equipming the plant. All rosive chemicals were made of German V2A (chrome in German installations used for restoring the plant the Leuna plant the von Heyden plant in Radeboal. Wolfen. Power as generated in part by the plant power plant in Verlineye and phthelic acid may tell as finished does which include thioladigo (in In 1951, large-scale experiments were carried out provenent of production of aminosalicytic acid (coal-text dye intermediate product and an anti-tube figures were not a reilable.	railroad line ovard Kunyans ige of Rubezhr Ilroad line all vas near the south part. He the Combine to firms and ended by Americal Ilations were add. Reconstraing in 1945. The plant.  Only a small ments. Disner amparatus exickel) steel. included instand the Agfaltsolf and particle included instand included instand included instand included instand included instand included includ	which passo which passo which passo which passo which passo with the passo way. The passo designate control of the production and production for the passon of the passon	a -HUM  a ded  t-HUM -HUM  f 1-HUM
I TTATE HARRY	2.	was located on the double-track through the area of the Combine and led northwest and south, who Lisichansk, to Debaltsevo grounds of the Combine bordered on the northeast enhighest leading to Kapyansk and paralleling the raiting the plant grounds. The Rubezhnove railroad station the southeast.  The Combine was divided in half by the railroad lined plant section, was called bonetsky Zavod, the Zavod. A new plant brillt in the northeast part of No. 14. The plant was founded in 1914, with German in the construction. In 1926, the plant was expense with American machinery. The most important installing World War if and part of the buildings destroys expansion of the plant was started in 1914. Begin was gradually resumed in the different parts of the Original equipment was used in the restored depart equipment was used in re-equipming the plant. All rosive chemicals were made of German V2A (chrome in Gorman installations used for restoring the plant the Leuna plant the von Heyden plant in Radebedl, Wolfen. Power as generated in part by the plant power plant in Verlaneye  The Combine mainly produces intermediate products ritranised the von Heyden plant the caid may be provened of production of aminosalicylic acid (coal-ter dye intermediate product and an anti-tube for the production of aminosalicylic acid (coal-ter dye intermediate product and an anti-tube)	railroad line ovard Kunyans ige of Rubezhr Ilroad line all vas near the south part. He the Combine to firms and ended by Americal Ilations were add. Reconstraing in 1945. The plant.  Only a small ments. Disner amparatus exickel) steel. included instand the Agfaltsolf and particle included instand included instand included instand included instand included instand included includ	which passo which passo which passo which passo which passo with the passo way. The passo designate control of the production and production for the passon of the passon	a -HUM  a ded  t-HUM  -HUM  -HUM  -HUM



COMFIDENTIAL

... 2 ...

- 5. Naphthalene was the best known raw material processed in the plant. It was supplied, as crude naphthalene in lumps, by other plants. The Combine also received nitric acid supplies for nitrating purposes and pyrites for its subhuric acid production. Coal supplies for the two boiler houses came from the hard coal mines located on the right bank of the Donets River.
- 6. In early 1949, the Combine had about 2,000 adult workers and 250 Komsomoltsy, who had to attend courses two or three times weekly. Workers were mainly Ukrainians. In addition, up to 1,000 PWs were employed in the reconstruction of the plant. The following Jerran experts did compulsory work in the Combine: Dr. Werner Weller, Dr. Heinrich Chlendorf, Dr. Heinz Schuster, Dr. Alfred Gnuechtel, Dr. Ulrich Dreyer, Graduate Engineer Erich Brinkmann, Dr. Ernst Engelmann, Dr. Aarl Brodersen, Dr. Otto Hoffman, Dr. Alfred Turm, Dr. Max Schulze, Dr. Gettfried Hail, Dr. Holfgang Michter, Dr. Adolf Michter, Dr. Hermann Holff, Professor Dr. Alfred Mieche, Dr. Gottfried Caro, Dr. Johannes Mutzke, Dr. Erich Aratz, Dr. Mudlif Fuchs, Engineer Franz Mank, and Dr. Hans heler-Bode. Some of the experts returned after mid-1951. These experts were assigned to improve the current production process and to develop methods for the production of new dyes.
- 7. The entire area of the Combine was surrounded partly by a wire fence and partly by a wall. Guard duty was done by plant militia clad in blue uniforms and armed with automatic weapons. There was also a plant fire brigade, the members of which wore red apaulets. Some of the juards made their patrols with watchdogs.

COMPIDEL PLAL



COMPTDEMINI

50X1-HUM

- ) -

## Legerd:

- 1. Rubezincia railroad station.
- 2. Lisichansk-Rubezhroje Kupyansk railroad line.
- 3. Rubezhowe Kupyansk highway.
- 4. Ulitsa Lenina (Lenin Street) passing through the town area of Rubezharek to Varvarovka.
- 5. Rubezhansk town area.
- 6. Streets in the plant area.
- 7. Spur tracks.
- 8. Suspension cableway coming from the coal-mining district around Belogorovka across the Donets River.
- 9. Sewage ditch leading to a swampy pond.
- 10. Swampy pond or settling basin.
- 11. Swampy area. .
- 12. Entrance gates with small guard house.
- 13. Plant enclosure, partly a wire dence and partly a wall.
- 14. Building, housing technical designing offices and a mess hall.
- 15. Administration and management building of the Combine.
- lc. Hospital and first aid station.
- 17. Office building.
- 18. Telephone switchboard.

The items 19 through 25 are the Novo Donetskiy Zavod plant section.

- 19. Nitranisol factory.
- 20. Warehouse for the technical equipment of the cherical departments and for the storage of chericals.
- 21. Six tanks for methanol, each 5 seters in diameter and 8 meters high.
- 22. Niopik experimental departments housed in two four-story brick structures, There were eight agitators, each 2 meters in diameter, equipped with steam heating worms. All equipment in these departments was made of V2A steel. The pressure in the closed agitators was allegedly 5 atmospheres during operation. The equipment of these departments also included several containers made of V2A steel, each measuring 2 x 1.20 x 0.60 meters. The containers were partitioned with perforated plates.

CONTIDENTAL



GUILF TOMITTAL

50X1-HUM

... 4 ...

- 23. Laboratory.
- 24. Garage.
- 25. Coal dump surrounded by a wall.

Items 26 through 42 are the Donetskiy Zavod plant section.

- 26. Old boiler house equipped with installations for long distance heating. It was a solid brick structure of 40 x 40 x 22 meters. There were 5 large hard-coal-fired flue boilers. Several metal smokestacks were on the roof. The boiler house was connected with the coal dump by an inclined elevator.
- 27. Conveyor installations for boiler slags.
- 28. Slag dump.
- 29. Oxygen producting installation.
- 30. Carpenter's shop.
- 31. Forge and locks ithis shop with small depot of components.
- 32. Thioindigo factory, consisting of some old brick structures which were partly destroyed and have, meanwhile, been reconditioned. The equipment included agitators of 2 meters, 2.20 meters and 2.30 meters in diameter with ramified pipe lines. All equipment was made of V2A steel.
- 33. Warehouse.
- 34. Concrete silo with arrex.
- 35. Unidentified new buildings.
- 36. New stone building, covered with Eternit slabs (asbestos cerent). Its equipment included 20 to 30 steam-heated autoclaves.
- 37. Small building with a horizontal rotary drying drum.
- 38. Central laboratory, a four story brick structure, about 30 x 17 meters. The construction of the building started before the war, but was stopped when in rough brickwork. It was completed after the war. Equipment consisted of dismantle? German material including a laboratory of the Deutsche Sprengstoff A.G. (German Explosives Corporation) in Silesia. The laboratory was used to support the production of the Combine, to modernize obsolescent production methods, and to develop new products. The laboratory had a 10 rge German library. In August 1949, about 80 people were employed in the different laboratories including 23 German expects who did compulsory work.
- 39. First-aid station.

COM'IDENTIAL



CONTRADE AND ASS.

50X1-HUM

.. 5 ..

- 40. Pyrite-roasting installation.
- 41. Department for the production of sulphuric acid.
- 42. Six vertical sulphuric acid tanks, each 5 meters high and 4 meters in diameter.
- 43. Lumber dump.
- 44. Scrap dump.
- 45. Foundry for spare parts.
- 46. New locksmith's shops.
- 47. First-aid station.
- 48. Old locksmith's shop.
- 49. Office building.
- 5C. Forge.
- 51. Carpentry with pattern-making shop.
- 52. Three large warehouses.
- 53. Warehouse for materials used in the workshops.
- 54. Guard station.
- 55. Fire department, an old stone building, equipped with three fire engines with ladders and fire hoses.
- 56. Gasoline depot.
- 57. Kennel for watchdogs
- 58. Bath.
- 59. Department for the production of coal-tar dyes. Equipment included four steam-heated agitators. After being processed in the agitators, the products were dried in a drying chamber and pulverized. They were then dispatched packed in cylindrical drums.
- 60. Water pumping station with well and filtering installation.
- 61. Naphthalene depot.
- 62. Monument.
- 63. Phthalic acid anhydride factory, an old brick structure with steel frame roofing covered with lumber and roofing felt. It was reconditioned and put into operation in 1948. It was equipped with 18 autoclaves with ventilation shafts. In addition, there was an electrically heated apparatus for recrystallizing. The final product was not submitted to further processing in this factory but taken away in trucks.

COMPTDENTIAL



לע בנו היותר ביותוניים

50X1-HUM

- 6 -

64. Warehouse for materials.

The buildings indicated in items 65 and 66 belong to Orject No 14.

- 65. Unidentified four-story building, about 60 x 30 m term, with low workshop annex. Its equipment included containers and cumps.
- 66. Three new buildings not equipped in late 1949.
- 67. Two small mess hall buildings.
- 68. Ruins of a building. At the south side there was a small annex where carboys filled with sulphuric acid were stored.
- 69. New workshop building equipped with 12 containers made of V2A steel taken from discensible German installations.
- 70. Workshop building, partly reconditioned, allegedly used for the production of a fruit preserving agent.
- 71. New power plant.
- 72. Coal dump.
- .73. Storage site for dispentled German apparatus.
- 74. lime sandstone factory.


CONTENTIAL



COMPEDENTIAL


\* 7° 00


Layout Sketch of the Chemical Combine in Rubezhnoye





Janethricher





Declassified in Part - Sanitized Copy Approved for Release 2013/04/30 : CIA-RDP80-00810A002500320003-9

